ANALYTICAL BIOCHEMISTRY

Methods in the Biological Sciences

Volume 180, 1989

EDITOR-IN-CHIEF
William B. Jakoby

EXECUTIVE EDITORS

Assistant to the Editor-in-Chief, William S. Allison

Shelby L. Berger
Ludwig Brand
Peter Brodelius
Jack E. Dixon
Theodore Friedmann
Othmar Gabriel
Howard Goldfine
Owen W. Griffith
John A. Hanover
William F. Harrington
Tony E. Hugli
Richard D. Klausner
John H. Law
Y. C. Lee
Walter M. Lovenberg
William D. McElroy
Richard N. Perham
James F. Riordan
B. David Stollar
Clarence H. Suelter
Bert L. Vallee
Helen Van Vunakis
Arthur Weissbach

Alvin Nason, Founding Editor, 1960–1977
Nathan O. Kaplan and William D. McElroy, Editorial Committee Co-Chairmen, 1978–1986

ACADEMIC PRESS, INC.
Harcourt Brace Jovanovich, Publishers
San Diego New York Boston London Sydney Tokyo Toronto

Copyright © 1989 by Academic Press, Inc.
All Rights Reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (27 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U. S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1989 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0003-2697/89 $3.00

MADE IN THE UNITED STATES OF AMERICA

CONTENTS OF VOLUME 180

NUMBER 1, JULY 1989

Review. Alumina–Phosphate Complexes for Immobilization of Biomolecules
M-A. Coletti-Previero and A. Previero 1

Radiometric Assays for Glycerol, Glucose, and Glycogen *David C. Bradley and Harvey R. Kaslow* 11

Determination of Intracellular Pyridine Nucleotide Levels by Bioluminescence Using Anaerobic Bacteria as a Model *Ulrike Schmid, Karl-Ludwig Schimz, and Hermann Sahm* 17

An Enzymatic Assay for Picomole Levels of Phosphatidate
Stephen B. Bocckino, Pamela Wilson, and John H. Exton 24

C-Terminal Sequence Determination of Peptides Degraded with Carboxypeptidases of Different Specificities and Analyzed by 252-Cf Plasma Desorption Mass Spectrometry
K. Klarskov, K. Breddam, and P. Roepstorff 28

Determination of Guanine by High-Performance Liquid Chromatography with Electrochemical Detection: Application to DNA and RNA Assays *Tatsuo Nakahara, Akio Shiraishi, Makoto Hirano, Takashi Matsumoto, Toshihide Kuroki, Yoshinori Tatebayashi, Tetsuyuki Tsutsumi, Kouji Nishiyama, Hiroaki Ooboshi, Kaoru Nakamura, Hiroshi Yao, Michinori Waki, and Hideyuki Uchimura* 38

Bioluminescent Assays Using Glucose-6-phosphate Dehydrogenase: Application to Biotin and Streptavidin Detection
Béatrice Térouanne, Myriem Bencheick, Patrick Balaguer, Anne-Marie Boussioux, and Jean-Claude Nicolas 43

Use of Glucose-6-phosphate Dehydrogenase as a New Label for Nucleic Acid Hybridization Reactions
Patrick Balaguer, Béatrice Térouanne, Jean-Francois Eliaou, Martine Humbert, Anne-Marie Boussioux, and Jean-Claude Nicolas 50

Artifacts following Gold Staining of Western-Blotted Membranes *Kyong Bin Park and Ronald G. Labbé* 55

Separation of the Major Proteins of Central and Peripheral Nervous System Myelin Using Reversed-Phase High-Performance Liquid Chromatography
Oscar A. Bizzozero, Timothy S. Odykirk, James F. McGarry, and Marjorie B. Lees 59

A Thiophilic Adsorbent for the One-Step High-Performance Liquid Chromatography Purification of Monoclonal Antibodies *Bernhard Nopper, Fortüne Kohen, and Meir Wilchek* 66

Immunoprecipitation of Labeled Antigens with Eupergit C1Z
Susanne Grässel, Angelika Röling, and Andrej Hasilik 72

Detection of 3,4-Dihydroxyphenylglycolaldehyde in Human Brain by High-Performance Liquid Chromatography *William J. Burke, Michael B. Mattammal, Gary L. Marshall, and Hyung Chung* 79

Measurement of Choline and Choline Metabolite Concentrations Using High-Pressure Liquid Chromatography and Gas Chromatography–Mass Spectrometry
Elizabeth A. Pomfret, Kerry-Ann daCosta, Lonnette L. Schurman, and Steven H. Zeisel 85

Monitoring of Phenylketonuria: A Colorimetric Method for the Determination of Plasma Phenylalanine Using L-Phenylalanine Dehydrogenase *Udo Wendel, Werner Hummel, and Ulrich Langenbeck* 91

A Comparison of Chemiluminescent and Colorimetric Substrates in a Hepatitis B Virus DNA Hybridization Assay *Irena Bronstein, John C. Voyta, and Brooks Edwards* 95

A Spectrophotometric Procedure for Measuring Oxoglutarate and Determining Aminotransferase Activities Using Nicotinamide Adenine Dinucleotide Phosphate-Linked Glutamate Dehydrogenase from Algae
Iftikhar Ahmad and Johan A. Hellebust 99

Assay of L-3-Hydroxyacyl-Coenzyme A Dehydrogenase with Substrates of Different Chain Lengths
Xue-Ying He, Song-Yu Yang, and Horst Schulz 105

A Semicontinuous, High-Performance Liquid Chromatography-Based Assay for Stromelysin
Richard Harrison, Jennifer Teahan, and Ross Stein 110

Immobilization of Proteins on Oxidized Crosslinked Sepharose Preparations by Reductive Amination
Nancy L. Stults, Lisa M. Asta, and Y. C. Lee 114

A Binding Assay for Serine Hydroxymethyltransferase *Arthur M. Geller and Malak Y. Kotb* 120

Determination of Desferrioxamine-Available Iron in Biological Tissues by High-Pressure Liquid Chromatography *Jon D. Gower, Guy Healing, and Colin J. Green* 126

Quantitation of Platelet-Activating Factor by High-Performance Liquid Chromatography with Fluorescent Detection *Haruhisa Mita, Hiroshi Yasueda, Tetsuo Hayakawa, and Takao Shida* 131

Protein Measurement Using Bicinchoninic Acid: Elimination of Interfering Substances
Rhoderick E. Brown, Kari L. Jarvis, and Kristi J. Hyland 136

Hydrophilic Fluorescein Derivatives: Useful Reagents for Liposome Immunolytic Assays
M. Fiechtner, M. Wong, C. Bieniarz, and M. T. Shipchandler 140

A General Method of Site-Specific Mutagenesis Using a Modification of the *Thermus aquaticus* Polymerase Chain Reaction *Richard M. Nelson and George L. Long* 147

Ammonia Assimilating Enzymes from Cyanobacteria: *In Situ* and *in Vitro* Assay Using High-Performance Liquid Chromatography *Silvia Marqués, Francisco J. Florencio, and Pedro Candau* 152

RAS Enzyme-Linked Immunoblot Assay Discriminates p21 Species: A Technique to Dissect Gene Family Expression *Paul H. Gumerlock. Frederick J. Meyers, Sam P. Kokoris, Gail Wong, Frank P. McCormick, and Ralph W. deVere White* 158

Isolation of Cathepsin D Using Three-Phase Partitioning in t-Butanol/Water/Ammonium Sulfate
Gavin R. Jacobs, Robert N. Pike, and Clive Dennison 169

Studies on the Formation and Stability of Isoindoles Derived from Amino Acids, *o*-Phthalaldehyde and *N*-Acetyl-L-cysteine
M. C. García Alvarez-Coque, M. J. Medina Hernández, R. M. Villanueva Camañas, and C. Mongay Fernández 172

Large Scale Isolation of Nuclei from Oocytes of *Xenopus laevis*
Ida Ruberti, Elena Beccari, Elisabetta Bianchi, and Francesca Carnevali 177

Denaturation by Urea and Renaturation of 20β-Hydroxysteroid Dehydrogenase Studied by High-Performance Size Exclusion Chromatography
Giacomo Carrea, Renato Longhi, Giorgio Mazzola, Piero Pasta, and Giuseppe Vecchio 181

Quantitative Determination of Phospholipids Using the Dyes Victoria Blue R and B
Vladimir A. Eryomin and Sergei P. Poznyakov 186

BOOK REVIEWS

Methods in Enzymology, Vol. 167, *Cyanobacteria.* Edited by L. Packer and A. N. Glazer *Robert P. Burchard* 192

Methods in Cell Biology, Vols. 29 and 30, *Fluorescence Microscopy of Living Cells in Culture,* Parts A and B. Edited by Y. L. Wang and D. L. Taylor *John A. Hanover* 192

Software Review. *Subcellular Fractionation and Centrifugation: A Strategic Approach.* By K. R. Smith and B. D. Hames *John A. Hanover* 193

ERRATUM

Volume 176, Number 2 (1989): Donald E. Macfarlane, "Two Dimensional Benzyldimethyl-*n*-hexadecylammonium Chloride → Sodium Dodecyl Sulfate Preparative Polyacrylamide Gel Electrophoresis: A High Capacity High Resolution Technique for the Purification of Proteins from Complex Mixtures," pp. 457–463. 194

NUMBER 2, AUGUST 1, 1989

Review. Characterization of Glycoproteins and Their Associated Oligosaccharides through the Use of Endoglycosidases *Frank Maley, Robert B. Trimble, Anthony L. Tarentino, and Thomas H. Plummer, Jr.* 195

Factors Affecting Polyacrylamide Gel Electrophoresis and Electroblotting of High-Molecular-Weight Myofibrillar Proteins *Jeffery D. Fritz, Darl R. Swartz, and Marion L. Greaser* 205

Proteoglycan Profiles Obtained by Electrophoresis and Triple Immunoblotting *Ralph Heimer* 211

A Method for Replacing Intravesicular Contents of Golgi Vesicles Using an Air-Driven Ultracentrifuge *Barbara Criscuolo Waldman and Gary Rudnick* 216

Enzymatic Assay for Deoxyribonucleoside Triphosphates Using Synthetic Oligonucleotides as Template Primers *Paula A. Sherman and James A. Fyfe* 222

A Simple Assay to Estimate the Acetylcholinesterase Molecular Forms in Crude Extracts of Rat Skeletal Muscle *Alejandra Perelman and Nibaldo C. Inestrosa* 227

Reduction and Fluorescent Labeling of Cyst(e)ine-Containing Proteins for Subsequent Structural Analyses *Terence L. Kirley* 231

Use of Peptide Substrates for Affinity Purification of Protein–Serine Kinases *James Robert Woodgett* 237

Spectrophotometric Assays for the Enzymatic Hydrolysis of the Active Metabolites of Chlorpyrifos and Parathion by Plasma Paraoxonase/Arylesterase *Clement E. Furlong, Rebecca J. Richter, Sharon L. Seidel, Lucio G. Costa, and Arno G. Motulsky* 242

A Glutamate Dehydrogenase-Based Method for the Assay of L-Glutamic Acid: Formation of Pyridine Nucleotide Fluorescent Derivatives *Miguel Pérez-de la Mora, Jesús Méndez-Franco, Rocío Salceda, and Juan R. Riesgo-Escovar* 248

A Spectrophotometric Method for the Estimation of Amino Groups on Polymer Supports *R. K. Gaur and K. C. Gupta* 253

Determination of Homocysteine, Penicillamine, and Their Symmetrical and Mixed Disulfides by Liquid Chromatography with Electrochemical Detection *Dallas L. Rabenstein and Garry T. Yamashita* 259

Free Amino Acid Determination in Whole Peanut Seeds *Henry F. Marshall, Jr., Gary P. Shaffer, and Edith J. Conkerton* 264

Optimization of Electroporation for Transfection of Mammalian Cell Lines *Grai L. Andreason and Glen A. Evans* 269

Purification of Human Genomic DNA from Whole Blood Using Sodium Perchlorate in Place of Phenol *Malcolm B. Johns, Jr. and Jeanne E. Paulus-Thomas* 276

Determination of Dopamine, Norepinephrine, and Related Trace Amines by Prechromatographic Derivatization with Naphthalene-2,3-dicarboxaldehyde *Takao Kawasaki, Takeru Higuchi, Kazuhiro Imai, and Osborne S. Wong* 279

Isolation of Motoneuron Cell Bodies from Spinal Cord Stored at −70°C in Ethylene Glycol *D. V. Sinicropi, V. B. Hoke, and D. L. McIlwain* 286

Amino Acid Analysis Using 1-Naphthylisocyanate as a Precolumn High Performance Liquid Chromatography Derivatization Reagent *Amos Neidle, Miriam Banay-Schwartz, Shirley Sacks, and David S. Dunlop* 291

A High-Performance Liquid Chromatography Method for the Simultaneous Assay of Diaminopimelate Epimerase and Decarboxylase *A. N. C. Weir, C. Bucke, G. Holt, M. D. Lilly, and A. T. Bull* 298

Simultaneous Purification of DNA and RNA from Small Numbers of Eukaryotic Cells *Joyce Karlinsey, George Stamatoyannopoulos, and Tariq Enver* 303

Fluorometric Assay for Polyamines in Urine and Tissues Using Electrophoresis on Titan III Cellulose Acetate *Shinji Kanda, Masakazu Takahashi, and Sumi Nagase* 307

Western Blots from Sodium Dodecyl Sulfate–Polyacrylamide Gels Stained by Metal Salts *Ding Wang, James K. Dzandu, Mukarram Hussain, and Robert M. Johnson* 311

Use of the Diaminobenzoic Acid Fluorescence Assay in Conjunction with uv Absorbance as a Means of Quantifying and Ascertaining the Purity of a DNA Preparation *William E. Schy and Michael J. Plewa* 314

Easily Assembled Digital Data Acquisition System for the Analytical Ultracentrifuge *Dan L. Sackett, Roland E. Lippoldt, Carter Gibson, and Marc S. Lewis* 319

A Qualitative Fluorescence-Based Assay for Tyrosyl Radical Scavenging Activity: Ovothiol A Is an Efficient Scavenger *Tod P. Holler and Paul B. Hopkins* 326

Application of Fast Atom Bombardment with Tandem Mass Spectrometry and Liquid Chromatography/Mass Spectrometry to the Analysis of Acylcarnitines in Human Urine, Blood, and Tissue *David S. Millington, Daniel L. Norwood, Naoki Kodo, Charles R. Roe, and Fumio Inoue* 331

Isolation and Sequence Analysis of Proteins from Mouse Forebrain Using Two-Dimensional Gel Electrophoresis Coupled to High-Pressure Liquid Extrusion *Daryll B. DeWald and James D. Pearson* 340

The Spectrophotometric Determination of Diacetyl *Joanne Mattessich and Jack R. Cooper* 349

High-Performance Liquid Chromatography of Reducing Carbohydrates as Strongly Ultraviolet-Absorbing and Electrochemically Sensitive 1-Phenyl-3-methyl-5-pyrazolone Derivatives *Susumu Honda, Eiko Akao, Shigeo Suzuki, Masahiro Okuda, Kazuaki Kakehi, and Jun Nakamura* 351

Efficient Electroblotting of Human Very-Low-Density Lipoproteins and Low-Density Lipoproteins from Composite Gradient Gels to Nylon Membranes *Lucille T. Lee, Laurence Wong, Paul S. Roheim, and James J. Thompson* 358

Directional Immobilization of Sodium- and Potassium-Activated ATPase to Expose Its Cytoplasmic Part to the Liquid Phase on Microtiter Plates by Wheat Germ Agglutinin *Hideaki Nagamune, Osamu Urayama, Yukichi Hara, Fusao Ota, Katsuhiko Hirota, Yasuhiko Satomi, Kuniko Seo, Komei Fukui, and Makoto Nakao* 362

Separation of Tocopherol and Tocotrienol Isomers Using Normal- and Reverse-Phase Liquid Chromatography *Barrie Tan and Linda Brzuskiewicz* 368

Improvements in the Application of the 4,4-*N,N*-Dimethylaminoazobenzene-4′-isothiocyanate Micromethod to the Sequence Analysis of Proteins *Miquel Salvà and Francesc X. Avilés* 374

A Microassay-Based Procedure for Measuring Low Levels of Toxic Organophosphorus Compounds through Acetylcholinesterase Inhibition *Philip S. Hammond and Jeffry S. Forster* 380

Deoxygenation of Solutions for Transient Studies *N. Barboy and J. Feitelson* 384

A Mass Spectrometric Technique for Detecting and Identifying By-Products in the Synthesis of Peptides *Swapan K. Chowdhury and Brian T. Chait* 387

BOOK REVIEWS

Introduction to Practical Molecular Biology. By Philippa D. Darbre Reviewed by *Gordon Cannon* 396

Techniques in Cell Cycle Analysis. Edited by J. W. Gray and Z. Darzynkiewicz Reviewed by *John Wunderlich* 396

Author Index for Volume 180 397

NOTICE

The Subject Index for Volume 180 will appear in the December 1989 issue as part of a cumulative index for the year 1989.

ANALYTICAL BIOCHEMISTRY
Methods in the Biological Sciences

INFORMATION FOR AUTHORS

Analytical Biochemistry is an international journal that publishes original articles on methods and methodology of interest to the biological sciences and all fields that impinge on biochemical investigation. In addition to the expected techniques that apply to biochemical preparations and analysis, the following should be considered as within the scope of the journal:

— Cell biology and cell, tissue, and organ culture methods that are of general application.

— Membranes and membrane proteins. These methods form a major section of interest.

— Procedures of interest in the field of molecular genetics including those necessary for cloning, sequencing, and synthesis of nucleic acids and for mutagenesis.

— Purification of enzymes and other proteins, but only if the methods are both novel and applicable generally, i.e., the interest is in a means of purification rather than in the protein that is being purified.

— Immunological techniques both analytical and preparative, if they are of general applicability by biochemists. Immunoassays are included but only if a unique approach is introduced rather than the determination of a substance not previously assayable.

— Pharmacological and toxicological research techniques that offer a biochemical approach.

— Review articles dealing with timely topics. Although these are generally invited, unsolicited outlines or manuscripts will be considered.

Manuscripts are accepted for review with the understanding that the same work has not been and will not be nor is presently submitted elsewhere, and that its submission for publication has been approved by all of the authors and by the institution where the work was carried out; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in **Analytical Biochemistry** represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor(s) and the Publisher.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Publisher. The Publisher will not refuse any reasonable request by the author for permission to reproduce any of his or her contributions to the journal.

Address. Manuscripts should be submitted in quadruplicate to:

Analytical Biochemistry

Editorial Office
Seventh Floor
1250 Sixth Avenue
San Diego, California 92101

In the case of rejected manuscripts, only one copy of the manuscript will be returned to the author.

An extended Instructions to Authors is published in the July issue during odd-numbered years. Reprints are available from the Editorial Office. Authors should consult this Information for details on nomenclature, IUPAC-IUB rules and recommendations, and accepted abbreviations.

Manuscripts should be concise and consistent in style, spelling, and use of abbreviations. In order to facilitate the processing of manuscripts, the journal requests that at least four copies be submitted, each copy to include all figures (originals or glossy prints) and tables. The original copy must be typewritten, double-spaced, on one side of white bond paper, about $8\frac{1}{2} \times 11$ inches in size, with one-inch margins on all sides. Each manuscript should have a separate title page noting title of article, authors' names (without degrees), a running title (not exceeding 55 letters and spaces), an abstract (250 words), the address to which proof should be mailed, and the corresponding author's telephone number and fax or telex number. In creating a title for your paper, please omit words such as *novel, rapid, improved, simple, sensitive, efficient, convenient, new.* Each is felt to be redundant and actually slows down the reader who is scanning the article titles and wants to know more about the method itself. Please substitute informative words that will give readers a more complete idea of the usefulness of your paper with regard to the limitations of their equipment or sample type. Abbreviations should not be used in the article title or running title. Please number all pages of the manuscript. The appropriate subject category should be indicated on the title page.

Text. The suggested organization of an article is: abstract; introductory statement; Materials and Methods; Results; Discussion; Acknowledgments; References. Some of these sections may be combined if the presentation is thereby made clearer or more effective. Although this is the general form, the journal will accept variation from it but does require an abstract.

Names of chemical or organic substances should follow the recommendations of the IUPAC–IUB Joint Combined Commission on Biochemical Nomenclature (JCBN) as published in the extended Instructions for Authors, appearing in the July issue of this journal during odd-numbered years.

Authors should draw attention to any particular chemical or biological hazards that may be involved in carrying out the experiments described. Any relevant safety precautions should be described; if an accepted code of practice has been followed, a reference to the relevant standards should be given.

Figures should be numbered consecutively with Arabic numerals in order of mention in the text: each figure should have a descriptive legend. Legends should be typed together on a separate sheet, double-spaced. All illustrations should be in finished form ready for photoreproduction. A convenient size for drawings is $8\frac{1}{2} \times 11$ in. (21 × 27.5 cm). They should be planned to fit the proportion of the printed page ($7\frac{1}{8} \times 9$ in.; column width, $3\frac{1}{2}$ in.). Lettering on drawings should be of professional quality or generated by *high-resolution* computer graphics and should be large enough that in the printed version the lettering is 6–8 point. Except for single-letter part designations lettering on printed figures should not be larger than 10 points. Wide variation in type sizes is undesirable. If, after reduction, the type in the figures would be larger than the type in the text, then publication of the article may be delayed. Drawings should be made with India ink on tracing linen, smooth surface white paper, or Bristol board. Alternatively, *high-quality* computer graphics may be acceptable. Graph paper if used should be ruled in blue. Grid lines that are to show in the final reproduction should be inked in black. Properly prepared glossy prints are acceptable.

Photographs must be kept to a minimum. All photographs should be submitted as single glossy prints with strong contrasts and not mounted on cardboard; the magnification should be indicated by a scale where possible. Simple histograms should be avoided. A table or a paragraph in the text is preferred.

Illustrations in color can be accepted only if the authors defray the cost.

Tables should be typed on separate pages, numbered consecutively with Arabic numerals in order of mention in the text. Each table should have a short explanatory title.

Authors may wish to submit complex tables or sequence information as camera-ready copy. In this way, they are spared tedious proofreading and the chance of error is reduced. Tables submitted as camera-ready copy should be typed single-spaced whenever possible, and preferably submitted as 5 × 7-in. glossy prints.

Footnotes should be designated in text by superscript numbers and typed on a separate sheet following the References. Footnotes to tables should be identified with lowercase italic superscript letters and placed at the bottom of the table.

References to the literature should be cited in the text by Arabic numerals in parentheses and listed at the end of the paper in consecutive order. Abbreviations of journal titles should follow the style used in *Chemical Abstracts Service Source Index,* 1985. Please note style of capitalization and punctuation for journal articles and edited books in the following examples:

1. Mitchell, L. G., and Merril, C. R. (1989) *Anal. Biochem.* **178,** 239–242.
2. Bovey, F. A., and Jelinski, L. W. (1983) Chain Structure and Conformation of Macromolecules, p. 150, Academic Press, New York.
3. Kaminsk, L. S. (1985) *in* Bioactivation of Foreign Compounds (Anders, M. W., Ed.), pp. 157–175, Academic Press, Orlando, FL.

Proofs. Proofs will be sent to the authors with reprint order forms. Fifty reprints of each article are provided free of charge. Additional reprints may be ordered using the form provided.

For information about advertising in *Analytical Biochemistry*, please contact Julie Davis, Advertising Coordinator, Journal Promotion Department, Academic Press, Inc., 1250 Sixth Avenue, San Diego, California 92101 (telephone: (619) 699-6825).